

Wichita Fire Department Fire Prevention Division 455 N. Main 11<sup>th</sup> Floor Wichita, Kansas 67202 Phone: 316-268-4441 Fax: 316-858-7706

# HOME FIRE HAZARD CHECK LIST

#### Your room-by room fire hazard check list should include:

#### Living Room

- Open the flue or damper before starting a fire in your fireplace.
- Keep all flammables at least three feet away from the fireplace.
- □ Place a sturdy fireplace screen in front of the fireplace.
- □ Have your chimney inspected and cleaned by a professional at least once a year.
- Keep candles and lamps at least three feet away from your curtains.
- □ When children are present, use safety caps to cover all unused outlets.
- □ Use large, deep ashtrays. Never leave a burning cigarette unattended.

#### Bedroom

- □ Never use candles in your bedroom.
- Don't run electrical cords under rugs.
- **□** Replace and repair loose or frayed electrical cords.
- □ Extension cords are for temporary use only.
- Don't staple or nail electrical cords.
- $\Box$  Never smoke in bed.
- □ Never leave heavy objects on the bed when an electrical blanket is in use.
- □ Install a carbon monoxide alarm near bedrooms.

#### Bathroom

- Don't overload outlets with cords from too many appliances.
- □ If an outlet or switch feels unusually warm, stop using it and call an electrician.
- □ Never set hot appliances on flammable materials.
- **u** Unplug all appliances when not in use.
- □ Make sure cords from appliances are not getting pinched in drawers.
- □ Keep towels and other flammables at least three feet away from space heaters.

#### Hallway

- □ Install ceiling mounted smoke alarms that are at least four inches away from the walls on every level of your home.
- Ensure smoke alarms are UL listed.

- □ Wall mounted smoke alarms should be installed four to twelve inches away from the ceiling.
- Don't install smoke alarms near windows, doors, or ducts.
- □ Test your smoke alarms once a month.
- □ Vacuum your smoke alarms every six months.
- □ Change your smoke alarm batteries at least twice a year. Make sure your smoke alarms are always equipped with batteries.

## Kitchen

- □ If you have a fire extinguisher, be sure you are properly trained to use it.
- □ Make sure the fire extinguisher is for multipurpose use. We recommend a minimum of a 2A-10BC fire extinguisher.
- □ Keep the fire extinguisher in a place where it is easy to access.
- □ When cooking, never leave anything on the stove, in the oven or under the broiler unattended.
- Keep the cooking area clear of items that can burn.
- □ Maintain a three-foot kid free and pet free zone around the stove.
- Avoid wearing loose-fitting clothing while you are cooking.

## Basement

- □ Have your heating system serviced once a year before cold weather arrives.
- Choose a space heater device with an automatic shutoff feature.
- □ Make sure your clothes dryer is installed and serviced by a professional.
- □ Have a gas-powered dryer inspected by a professional at least once a year to check flexible gas lines for damage and proper connection, and to ensure all piping is free of leaks.
- □ Keep areas around heating sources clear of debris.
- □ Be sure to clean the lint trap in your dryer before each use and check around the drum for any accumulated lint.
- Do not store clothing or other combustibles any closer than one foot from the dryer.
- Do not leave your dryer running when you leave your home.

## Outdoors

- □ When using your grill, place at least 5 feet away from the house and other combustibles.
- Develop and practice a home evacuation plan.
- □ Each room in the home must have two means of egress.
- □ Assign a family member to assist anyone with a mobility issue.
- Choose a place outside you home for all family members to meet. Get out of the home first and then call the fire department from a neighbor's phone. Once outside the home, NEVER GO BACK INSIDE.

## **Our Meeting Place Is:**